





















WMJT-063

Shengxin Catalog for Brazil(1)





















理论重量仅供参考

<p>SX-WM1734. 拼板 perimeter=188.293mm weight=0.229kg</p>  <p>T=0.9mm</p>	<p>SX-WM1735. 拼板 perimeter=184.575mm weight=0.238kg</p>  <p>T=0.95mm</p>	<p>SX-WM1736. 圆管 perimeter=39.898mm weight=0.100kg</p>  <p>T=1.0mm</p>	<p>SX-WM1737. 勾企 perimeter=177.598mm weight=0.260kg</p>  <p>T=1.0mm</p>	<p>SX-WM1738. 上下方 perimeter=195.471mm weight=0.242kg</p>  <p>T=1.0mm</p>
<p>SX-WM2692. 卡槽 perimeter=95.497mm weight=0.105kg</p>  <p>T=0.75mm</p>	<p>SX-WM2695. 边框 perimeter=225.259mm weight=0.293kg</p>  <p>T=0.9mm</p>	<p>SX-WM2696. 边框 perimeter=249.021mm weight=0.349kg</p>  <p>T=0.95mm</p>	<p>SX-WM2697. 边框 perimeter=217.524mm weight=0.284kg</p>  <p>T=0.95mm</p>	<p>SX-WM2698. 边框 perimeter=306.161mm weight=0.646kg</p>  <p>T=1.3mm</p>
<p>SX-WM2700. 边框 perimeter=169.167mm weight=0.230kg</p>  <p>T=0.95mm</p>	<p>SX-WM2701. 边框 perimeter=289.221mm weight=0.6kg</p>  <p>T=1.5mm</p>	<p>SX-WM3214. 方管 perimeter=177.8mm weight=0.677kg</p>  <p>T=1.33mm</p>	<p>SX-WM3218. 方管 perimeter=177.8mm weight=0.533kg</p>  <p>T=1.04mm</p>	<p>SX-WM3231. 方管 perimeter=291.6mm weight=1.165kg</p>  <p>T=1.5mm</p>
<p>SX-WM3232. 方管 perimeter=152.4mm weight=0.384kg</p>  <p>T=0.95mm</p>	<p>SX-WM3235. 方管 perimeter=152.4mm weight=0.309kg</p>  <p>T=0.76mm</p>	<p>SX-WM3236. 方管 perimeter=75.4mm weight=0.138kg</p>  <p>T=0.7mm</p>	<p>SX-WM3239. 圆管 perimeter=59.847mm weight=0.119kg</p>  <p>T=0.76mm</p>	<p>SX-WM3493. 边框 perimeter=173.600mm weight=0.282kg</p>  <p>T=1.2mm</p>

WMJT-094

Shengxin Catalog for Brazil(3)





















理论重量仅供参考

<p>SX-WM3216. 管件 perimeter=152.400mm weight=0.367kg</p>  <p>T=0.84mm</p>	<p>SX-WM3217. 管件 perimeter=228.600mm weight=0.719kg</p>  <p>T=1.08mm</p>	<p>SX-WM3221. 下滑 perimeter=382.980mm weight=0.629kg</p>  <p>T=1.12mm</p>	<p>SX-WM3222. 边封 perimeter=301.973mm weight=0.46kg</p>  <p>T=1.12mm</p>	<p>SX-WM3223. 上滑 perimeter=546.784mm weight=0.918kg</p>  <p>T=1.1mm</p>
<p>SX-WM3224. 下滑 perimeter=517.630mm weight=0.87kg</p>  <p>T=1.12mm</p>	<p>SX-WM3226. 勾企 perimeter=202.670mm weight=0.419kg</p>  <p>T=1.05mm</p>	<p>SX-WM3227. 勾企 perimeter=220.727mm weight=0.444kg</p>  <p>T=1.05mm</p>	<p>SX-WM3230. 压线 perimeter=92.045mm weight=0.105kg</p>  <p>T=0.85mm</p>	<p>SX-WM3238. 方管 perimeter=203.200mm weight=0.542kg</p>  <p>T=1.0mm</p>
<p>SX-WM3241. 拼板 perimeter=176.951mm weight=0.254kg</p>  <p>T=1.03mm</p>	<p>SX-WM3604. 框料 perimeter=230.0mm weight=0.83kg</p>  <p>T=1.22mm</p>	<p>SX-WM3607. 上下方 perimeter=241.753mm weight=0.476kg</p>  <p>T=1.05mm</p>	<p>SX-WM3154. 边框 perimeter=156.944mm weight=0.388kg</p>  <p>T=1.04mm</p>	<p>SX-WM3155. 边框 perimeter=188.056mm weight=0.597kg</p>  <p>T=1.35mm</p>
<p>SX-WM3156. 中挺 perimeter=215.073mm weight=0.624kg</p>  <p>T=1.1mm</p>	<p>SX-WM3158. 边框 perimeter=218.707mm weight=0.636kg</p>  <p>T=1.38mm</p>	<p>SX-WM3160. 压线 perimeter=81.582mm weight=0.087kg</p>  <p>T=0.8mm</p>	<p>SX-WM3161. 压线 perimeter=81.172mm weight=0.104kg</p>  <p>T=1.0mm</p>	<p>SX-WM3169. 盖板 perimeter=146.497mm weight=0.235kg</p>  <p>T=1.15mm</p>

WMJT-103

Shengxin Catalog for Brazil (6)





















理论重量仅供参考

<p>SX-WM3839. 上下方 perimeter=389.613mm weight=0.868kg</p>  <p>T=1.1mm</p>	<p>SX-WM3840. 下滑 perimeter=346.131mm weight=0.590kg</p>  <p>T=1.15mm</p>	<p>SX-WM3841. 上下方 perimeter=292.412mm weight=0.452kg</p>  <p>T=1.1mm</p>	<p>SX-WM3847. 边封 perimeter=426.707mm weight=0.669kg</p>  <p>T=1.08mm</p>	<p>SX-WM3848. 光企 perimeter=240.891mm weight=0.476kg</p>  <p>T=1.04mm</p>
<p>SX-WM3850. 压线 perimeter=123.245mm weight=0.161kg</p>  <p>T=0.95mm</p>	<p>SX-WM3852. 边封 perimeter=254.043mm weight=0.380kg</p>  <p>T=1.1mm</p>	<p>SX-WM3854. 上滑 perimeter=350.575mm weight=0.571kg</p>  <p>T=1.1mm</p>	<p>SX-WM3858. 方管 perimeter=101.600mm weight=0.214kg</p>  <p>T=0.8mm</p>	<p>SX-WM3859. 拼板 perimeter=196.079mm weight=0.228kg</p>  <p>T=0.85mm</p>
<p>SX-WM3860. 边框 perimeter=179.727mm weight=0.268kg</p>  <p>T=1.0mm</p>	<p>SX-WM3828. 边框 perimeter=147.427mm weight=0.184kg</p>  <p>T=0.9mm</p>	<p>SX-WM3843. 勾企 perimeter=233.662mm weight=0.451kg</p>  <p>T=1.04mm</p>	<p>SX-WM3844. 中挺 perimeter=185.074mm weight=0.492kg</p>  <p>T=1.0mm</p>	<p>SX-WM3845. 上下方 perimeter=374.742mm weight=0.852kg</p>  <p>T=1.1mm</p>
<p>SX-WM3846. 勾企 perimeter=294.097mm weight=0.876kg</p>  <p>T=1.15mm</p>	<p>SX-WM3849. 光企 perimeter=227.670mm weight=0.462kg</p>  <p>T=1.05mm</p>	<p>SX-WM3853. 勾企 perimeter=175.514mm weight=0.407kg</p>  <p>T=1.1mm</p>	<p>SX-WM3855. 光企 perimeter=186.567mm weight=0.433kg</p>  <p>T=1.1mm</p>	<p>SX-WM3856. 压座 perimeter=124.521mm weight=0.279kg</p>  <p>T=1.0mm</p>

WMJT-104

Shengxin Catalog for Brazil(7)





















理论重量仅供参考

<p>SX-WM3857. 中挺 perimeter=182.621mm weight=0.47kg</p>  <p>T=1.08mm</p>	<p>SX-WM3862. 框料 perimeter=305.00mm weight=0.668kg</p>  <p>T=1.55mm</p>	<p>SX-WM3864. 装饰料 perimeter=116.817mm weight=0.174kg</p>  <p>T=1.25mm</p>	<p>SX-WM3865. 装饰料 perimeter=135.286mm weight=0.178kg</p>  <p>T=1.0mm</p>	<p>SX-WM3866. 中挺 perimeter=230.333mm weight=0.535kg</p>  <p>T=1.05mm</p>
<p>SX-WM3867. 边框 perimeter=136.711mm weight=0.333kg</p>  <p>T=1.05mm</p>	<p>SX-WM3872. 槽铝 perimeter=85.448mm weight=0.174kg</p>  <p>T=1.55mm</p>	<p>SX-WM3880. 边框 perimeter=281.506mm weight=0.406kg</p>  <p>T=1.05mm</p>	<p>SX-WM3823. 装饰料 perimeter=108.335mm weight=0.209kg</p>  <p>T=0.9mm</p>	<p>SX-WM3836. 外开扇 perimeter=170.739mm weight=0.343kg</p>  <p>T=1.1mm</p>
<p>SX-WM3842. 勾企 perimeter=266.738mm weight=0.497kg</p>  <p>T=1.04mm</p>	<p>SX-WM3851. 下滑 perimeter=321.989mm weight=0.563kg</p>  <p>T=1.15mm</p>	<p>SX-WM3870. 勾企 perimeter=260.457mm weight=0.650kg</p>  <p>T=1.2mm</p>	<p>SX-WM3871. 勾企 perimeter=243.912mm weight=0.616kg</p>  <p>T=1.2mm</p>	<p>SX-WM3873. 压线 perimeter=93.095mm weight=0.103kg</p>  <p>T=0.8mm</p>
<p>SX-WM3874. 边框 perimeter=188.994mm weight=0.289kg</p>  <p>T=1.1mm</p>	<p>SX-WM3875. 边框 perimeter=202.693mm weight=0.319kg</p>  <p>T=1.04mm</p>	<p>SX-WM3876. 中挺 perimeter=201.237mm weight=0.475kg</p>  <p>T=1.1mm</p>	<p>SX-WM3877. 边框 perimeter=115.991mm weight=0.306kg</p>  <p>T=1.0mm</p>	<p>SX-WM3878. 外开扇 perimeter=171.277mm weight=0.369kg</p>  <p>T=1.1mm</p>

WMJT-105

Shengxin Catalog for Brazil (8)

理论重量仅供参考


<p>SX-WM3881. 纱窗料 perimeter=81.564mm weight=0.161kg</p>  <p>T=0.85mm</p>	<p>SX-WM3883. 装饰料 perimeter=68.864mm weight=0.084kg</p>  <p>T=0.9mm</p>	<p>SX-WM3884. 方管 perimeter=75.61mm weight=0.184kg</p>  <p>T=0.94mm</p>	<p>SX-WM3897. 装饰料 perimeter=137.832mm weight=0.141kg</p>  <p>T=0.8mm</p>	<p>SX-WM3898. 边框 perimeter=134.347mm weight=0.173kg</p>  <p>T=0.95mm</p>
<p>SX-WM3824. 装饰料 perimeter=166.056mm weight=0.209kg</p>  <p>T=0.9mm</p>	<p>SX-WM3825. 盖板 perimeter=46.444mm weight=0.04kg</p>  <p>T=0.65mm</p>	<p>SX-WM3826. 装饰料 perimeter=182.683mm weight=0.253kg</p>  <p>T=0.94mm</p>	<p>SX-WM3827. 边框 perimeter=250.671mm weight=0.582kg</p>  <p>T=1.1mm</p>	<p>SX-WM3829. 压座 perimeter=136.016mm weight=0.214kg</p>  <p>T=1.15mm</p>
<p>SX-WM3863. 装饰料 perimeter=100.248mm weight=0.121kg</p>  <p>T=0.9mm</p>	<p>SX-WM3868. 压线 perimeter=115.198mm weight=0.133kg</p>  <p>T=0.85mm</p>	<p>SX-WM3869. 光企 perimeter=247.869mm weight=0.586kg</p>  <p>T=1.2mm</p>	<p>SX-WM3882. 压线 perimeter=92.052mm weight=0.101kg</p>  <p>T=0.8mm</p>	<p>SX-WM3899. 窗框 perimeter=234.683mm weight=0.525kg</p>  <p>T=1.2mm</p>
<p>SX-WM3701. 窗框 perimeter=279.292mm weight=0.754kg</p>  <p>T=1.55mm</p>	<p>SX-WM3834. 拼板 perimeter=370.775mm weight=0.653kg</p>  <p>T=1.3mm</p>	<p>SX-WM3902. 边框 perimeter=293.184mm weight=0.476kg</p>  <p>T=1.05mm</p>	<p>SX-WM3905. 边框 perimeter=307.863mm weight=0.514kg</p>  <p>T=1.2mm</p> <p>配 WM3825 WM2697 WM3682</p>	<p>SX-WM3906. 扣板 perimeter=362.515mm weight=1.381kg</p>  <p>T=1.3mm</p>

WMJT-108

Shengxin Catalog for Brazil (9)


理论重量仅供参考

SX-WM3908. 压线
perimeter=145.527mm weight=0.184kg




T=0.9mm

SX-WM3907. 框料
perimeter=355.177mm weight=1.160kg




T=1.4mm

SX-WM4151. 方管
perimeter=228.20mm weight=0.818kg



T=1.35mm

SX-WM4154. 框料
perimeter=230.927mm weight=0.723kg




T=1.06mm

SX-WM4155. 边框
perimeter=142.774mm weight=0.171kg



T=1.0mm

SX-WM4156. 框料
perimeter=188.028mm weight=0.530kg




T=1.15mm

SX-WM4158. 框料
perimeter=78.0mm weight=0.265kg




T=1.0mm

SX-WM4163. 边框
perimeter=164.740mm weight=0.418kg




T=1.08mm

SX-WM4170. 角码
perimeter=310.160mm weight=1.514kg




T=2.7mm

SX-WM4171. 边框
perimeter=260.989mm weight=0.342kg




T=0.95mm

SX-WM4175. 方管
perimeter=75.40mm weight=0.129kg



T=0.65mm

SX-WM4177. 边框
perimeter=167.679mm weight=0.253kg




T=1.12mm

SX-WM4180. 方管
perimeter=151.920mm weight=0.285kg




T=0.7mm

SX-WM4181. 边封
perimeter=361.211mm weight=0.578kg




T=1.15mm

SX-WM4182. 边封
perimeter=307.776mm weight=0.481kg




T=1.13mm

SX-WM4078. 上滑
perimeter=438.751mm weight=0.695kg




T=1.1mm

SX-WM4079. 下滑
perimeter=395.489mm weight=0.723kg



T=1.2mm

SX-WM4081. 框料
perimeter=134.185mm weight=0.272kg




T=0.85mm

SX-WM4152. 扣板
perimeter=416.685mm weight=1.289kg



T=1.2mm

SX-WM4153. 框料
perimeter=384.746mm weight=1.260kg



T=1.3mm

WMJT-124

Shengxin Catalog for Brazil(11)


理论重量仅供参考

WMJT-129

Shengxin Catalog for Brazil(12)


理论重量仅供参考

SX-WM4685. 边框
perimeter=246.808mm weight=0.871kg




T=1.4mm

SX-WM4686. 上滑
perimeter=541.153mm weight=1.029kg




T=1.35mm

SX-WM4535. 外框
perimeter=582.720mm weight=1.227kg




T=1.5mm

SX-WM4536. 外框
perimeter=315.494mm weight=0.596kg




T=1.3mm

SX-WM4537. 外框
perimeter=471.432mm weight=0.956kg




T=1.5mm

SX-WM4553. 边封
perimeter=548.570mm weight=0.880kg




T=1.18mm

SX-WM4554. 上下方
perimeter=243.174mm weight=0.590kg




T=1.08mm

SX-WM4555. 边框
perimeter=404.102mm weight=0.671kg




T=1.18mm

SX-WM4556. 边框
perimeter=368.224mm weight=0.608kg




T=1.2mm

SX-WM4558. 下滑
perimeter=491.623mm weight=0.845kg




T=1.2mm

SX-WM4734. 光企
perimeter=248.446mm weight=0.674kg




T=1.22mm

SX-WM4735. 纱窗料
perimeter=128.525mm weight=0.289kg



T=0.92mm

SX-WM4739. 装饰料
perimeter=101.034mm weight=0.129kg



T=0.92mm

SX-WM4751. 槽铝
perimeter=72.610mm weight=0.114kg




T=1.2mm

SX-WM4752. 槽铝
perimeter=80.808mm weight=0.087kg



T=0.8mm

SX-WM4753. 边框
perimeter=249.549mm weight=0.383kg



T=1.13mm

SX-WM4754. 扁铝
perimeter=46.400mm weight=0.229kg




T=4.5mm

SX-WM4755. 扁铝
perimeter=40.200mm weight=0.191kg




T=4.5mm

SX-WM4756. 框料
perimeter=250.571mm weight=0.832kg



T=1.25mm

SX-WM4757. 上滑
perimeter=401.143mm weight=0.911kg























T=1.12mm

WMJT-131

Shengxin Catalog for Brazil(13)

理论重量仅供参考


<p>SX-WM4758. 边封 perimeter=279.966mm weight=0.441kg</p>  <p>T=1.1mm</p>	<p>SX-WM4759. 边框 perimeter=221.546mm weight=0.335kg</p>  <p>T=1.12mm</p>	<p>SX-WM4760. 边框 perimeter=291.800mm weight=0.442kg</p>  <p>T=1.12mm</p>	<p>SX-WM4761. 下滑 perimeter=473.133mm weight=0.819kg</p>  <p>T=1.15mm</p>	<p>SX-WM4762. 卡槽 perimeter=156.946mm weight=0.231kg</p>  <p>T=1.05mm</p>
<p>SX-WM4763. 上下方 perimeter=215.616mm weight=0.527kg</p>  <p>T=1.05mm</p>	<p>SX-WM4764. 上下方 perimeter=173.824mm weight=0.489kg</p>  <p>T=1.1mm</p>	<p>SX-WM4765. 压线 perimeter=83.322mm weight=0.120kg</p>  <p>T=1.05mm</p>	<p>SX-WM4766. 压线 perimeter=114.189mm weight=0.134kg</p>  <p>T=0.88mm</p>	<p>SX-WM4767. 中挺 perimeter=229.719mm weight=0.444kg</p>  <p>T=1.05mm</p>
<p>SX-WM4768. 装饰料 perimeter=105.144mm weight=0.136kg</p>  <p>T=0.9mm</p>	<p>SX-WM4769. 勾企 perimeter=252.925mm weight=0.487kg</p>  <p>T=1.05mm</p>	<p>SX-WM4770. 装饰料 perimeter=134.128mm weight=0.194kg</p>  <p>T=0.95mm</p>	<p>SX-WM4559. 下滑 perimeter=735.392mm weight=1.514kg</p>  <p>T=1.3mm</p>	<p>SX-WM4939. 压线 perimeter=73.284mm weight=0.082kg</p>  <p>T=0.85mm</p>
<p>SX-WM4940. 压线 perimeter=73.451mm weight=0.078kg</p>  <p>T=0.8mm</p>	<p>SX-WM4944. 下滑 perimeter=646.445mm weight=1.228kg</p>  <p>T=1.3mm</p>	<p>SX-WM4961. 光企 perimeter=257.903mm weight=0.710kg</p>  <p>T=1.3mm</p>	<p>SX-WM4962. 边框 perimeter=286.625mm weight=0.549kg</p>  <p>T=1.4mm</p>	<p>SX-WM4995. 边封 perimeter=460.826mm weight=0.719kg</p>  <p>T=1.15mm</p>

WMJT-134

Shengxin Catalog for Brazil(14)


理论重量仅供参考

SX-WM4938. 扣板
perimeter=415.057mm weight=1.728kg




T=1.4mm

SX-WM4996. 上滑
perimeter=767.594mm weight=1.236kg




T=1.14mm

SX-WM4997. 下滑
perimeter=732.928mm weight=1.318kg




T=1.3mm

SX-WM4998. 边框
perimeter=161.881mm weight=0.353kg




T=1.15mm

SX-WM4999. 包边料
perimeter=143.643mm weight=0.218kg




T=1.1mm

SX-WM5000. 边框
perimeter=379.793mm weight=0.648kg




T=1.3mm

SX-WM5032. 外框
perimeter=218.944mm weight=0.364kg




T=1.2mm

SX-WM5033. 中横
perimeter=351.434mm weight=1.115kg




T=1.4mm

SX-WM5061. 边框
perimeter=298.350mm weight=0.535kg



T=1.2mm

SX-WM5062. 边框
perimeter=191.236mm weight=0.224kg




T=0.85mm

SX-WM5063. 盖板
perimeter=65.172mm weight=0.087kg




T=1.0mm

SX-WM5064. 上滑
perimeter=259.733mm weight=0.359kg




T=1.0mm

SX-WM5065. 上滑
perimeter=246.185mm weight=0.398kg



T=1.2mm

SX-WM5066. 框料
perimeter=227.425mm weight=0.617kg




T=0.9mm

SX-WM5067. 方管
perimeter=152.400mm weight=0.364kg




T=0.9mm

SX-WM5068. 方管
perimeter=127.000mm weight=0.302kg




T=0.9mm

SX-WM5069. 方管
perimeter=228.085mm weight=0.611kg



T=1.0mm

SX-WM5070. 框料
perimeter=225.905mm weight=0.777kg



T=1.0mm

SX-WM5071. 拼板
perimeter=398.250mm weight=0.697kg























T=1.35mm

WMJT-140

Shengxin Catalog for Brazil(17)





















理论重量仅供参考

<p>SX-WM5154. 边框 perimeter=184.847mm weight=0.312kg</p>  <p>T=1.1mm</p>	<p>SX-WM5129. 勾企 perimeter=227.970mm weight=0.459kg</p>  <p>T=1.04mm</p>	<p>SX-WM5130. 勾企 perimeter=197.657mm weight=0.420kg</p>  <p>T=1.0mm</p>	<p>SX-WM5131. 勾企 perimeter=245.821mm weight=0.661kg</p>  <p>T=1.05mm</p>	<p>SX-WM5133. 装饰料 perimeter=160.551mm weight=0.198kg</p>  <p>T=1.0mm</p>
<p>SX-WM5049. 拼板 perimeter=370.314mm weight=0.671kg</p>  <p>T=1.35mm</p>	<p>SX-WM5201. 边框 perimeter=277.937mm weight=0.391kg</p>  <p>T=1.0mm</p>	<p>SX-WM5202. 边框 perimeter=265.909mm weight=0.376kg</p>  <p>T=1.0mm</p>	<p>SX-WM5203. 方管 perimeter=151.885mm weight=0.404kg</p>  <p>T=1.0mm</p>	<p>SX-WM5204. 框料 perimeter=228.600mm weight=0.654kg</p>  <p>T=1.0mm</p>
<p>SX-WM5205. 装饰料 perimeter=135.561mm weight=0.461kg</p>  <p>T=1.7mm</p>	<p>SX-WM5206. 滑槽 perimeter=135.561mm weight=0.174kg</p>  <p>T=1.25mm</p>	<p>SX-WM5207. 上滑 perimeter=239.604mm weight=0.301kg</p>  <p>T=0.9mm</p>	<p>SX-WM5208. 光企 perimeter=164.147mm weight=0.307kg</p>  <p>T=1.2mm</p>	<p>SX-WM5209. 角铝 perimeter=50.027mm weight=0.06kg</p>  <p>T=0.9mm</p>
<p>SX-WM5210. 角铝 perimeter=76.200mm weight=0.091kg</p>  <p>T=0.9mm</p>	<p>SX-WM5211. 角铝 perimeter=100.570mm weight=0.122kg</p>  <p>T=0.9mm</p>	<p>SX-WM5212. 槽铝 perimeter=196.698mm weight=0.253kg</p>  <p>T=0.95mm</p>	<p>SX-WM5213. 框料 perimeter=220.570mm weight=0.728kg</p>  <p>T=1.0mm</p>	<p>SX-WM5214. 框料 perimeter=152.400mm weight=0.394kg</p>  <p>T=0.9mm</p>

WMJT-162





















Shengxin Catalog for Brazil(19)

理论重量仅供参考

<p>SX-WM6403. 外框 perimeter=214.318mm weight=0.460kg</p>  <p>T=1.1mm</p>	<p>SX-WM6404. 外框 perimeter=231.164mm weight=0.636kg</p>  <p>T=1.2mm</p>	<p>SX-WM6405. 收口 perimeter=205.838mm weight=0.314kg</p>  <p>T=1.2mm</p>	<p>SX-WM6506. 横柱 perimeter=430.878mm weight=1.567kg</p>  <p>T=1.5mm</p>	<p>SX-WM6507. 边框 perimeter=341.240mm weight=0.948kg</p>  <p>T=1.35mm</p>
<p>SX-WM6508. 边框 perimeter=262.935mm weight=0.426kg</p>  <p>T=1.2mm</p>	<p>SX-WM6509. 边框 perimeter=200.935mm weight=0.324kg</p>  <p>T=1.2mm</p>	<p>SX-WM6510. 边框 perimeter=398.311mm weight=0.605kg</p>  <p>T=1.2mm</p>	<p>SX-WM6550. 边框 perimeter=150.130mm weight=0.186kg</p>  <p>T=0.9mm</p>	<p>SX-WM6504. 勾企 perimeter=293.446mm weight=0.743kg</p>  <p>T=1.2mm</p>
<p>SX-WM6505. 勾企 perimeter=292.954mm weight=0.748kg</p>  <p>T=1.2mm</p>	<p>SX-WM6613. 边框 perimeter=215.630mm weight=0.351kg</p>  <p>T=1.2mm</p>	<p>SX-WM6663. 边框 perimeter=141.991mm weight=0.174kg</p>  <p>T=0.9mm</p>	<p>SX-WM6798. 下滑 perimeter=503.966mm weight=0.950kg</p>  <p>T=1.3mm</p>	<p>SX-WM6799. 上滑 perimeter=637.652mm weight=1.112kg</p>  <p>T=1.3mm</p>
<p>SX-WM6800. 盖板 perimeter=131.038mm weight=0.186kg</p>  <p>T=1.1mm</p>	<p>SX-WM6801. 边框 perimeter=312.870mm weight=0.907kg</p>  <p>T=1.3mm</p>	<p>SX-WM6802. 盖板 perimeter=150.871mm weight=0.299kg</p>  <p>T=1.8mm</p>	<p>SX-WM6803. 边框 perimeter=163.863mm weight=0.226kg</p>  <p>T=1.02mm</p>	<p>SX-WM6809. 装饰板 perimeter=229.664mm weight=0.321kg</p>  <p>T=1.1mm</p>





















WMJT-174

Shengxin Catalog for Brazil(22)

<p>SX-WM7027. 边封 perimeter=331.529mm weight=0.620kg</p>  <p>T=1.3mm</p>	<p>SX-WM7028. 下滑 perimeter=539.710mm weight=1.032kg</p>  <p>T=1.3mm</p>	<p>SX-WM7028. 下滑 perimeter=539.710mm weight=1.032kg</p>  <p>T=1.3mm</p>	<p>SX-WM7029. 光企 perimeter=308.713mm weight=0.783kg</p>  <p>T=1.3mm</p>	<p>SX-WM7030. 压线 perimeter=116.866mm weight=0.153kg</p>  <p>T=0.98mm</p>
<p>SX-WM7031. 上滑 perimeter=773.038mm weight=1.514kg</p>  <p>T=1.4mm</p>	<p>SX-WM7032. 外框 perimeter=225.852mm weight=0.360kg</p>  <p>T=1.2mm</p>	<p>SX-WM7033. 边框 perimeter=197.358mm weight=0.461kg</p>  <p>T=1.2mm</p>	<p>SX-WM7034. 光企 perimeter=272.190mm weight=0.553kg</p>  <p>T=1.05mm</p>	<p>SX-WM7035. 勾企 perimeter=281.869mm weight=0.632kg</p>  <p>T=1.1mm</p>
<p>SX-WM4542. 压线 perimeter=74.974mm weight=0.133kg</p>  <p>T=1.35mm</p>	<p>SX-WM7005. 边框 perimeter=344.686mm weight=0.968kg</p>  <p>T=1.25mm</p>	<p>SX-WM7115. 边框 perimeter=247.707mm weight=0.364kg</p>  <p>T=1.1mm</p>	<p>SX-WM7116. 外框 perimeter=141.815mm weight=0.283kg</p>  <p>T=1.0mm</p>	<p>SX-WM7117. 边框 perimeter=114.984mm weight=0.240kg</p>  <p>T=1.25mm</p>
<p>SX-WM7118. 边框 perimeter=103.093mm weight=0.182kg</p>  <p>T=0.9mm</p>	<p>SX-WM7120. 边框 perimeter=147.290mm weight=0.346kg</p>  <p>T=1.9mm</p>	<p>SX-WM7122. 单轨 perimeter=89.856mm weight=0.214kg</p>  <p>T=1.5mm</p>	<p>SX-WM7123. 边框 perimeter=283.022mm weight=0.406kg</p>  <p>T=1.1mm</p>	<p>SX-WM7006. 扣板 perimeter=380.672mm weight=1.050kg</p>  <p>T=1.1mm</p>



















WMJT-177

Shengxin Catalog for Brazil (23)

<p>SX-WM7007. 连接件 perimeter=173.964mm weight=0.261kg</p>  <p>T=1.1mm</p>	<p>SX-WM7008. 边框 perimeter=226.003mm weight=0.524kg</p>  <p>T=1.1mm</p>	<p>SX-WM7009. 盖板 perimeter=41.412mm weight=0.052kg</p>  <p>T=1.07mm</p>	<p>SX-WM7104. 装饰料 perimeter=150.338mm weight=0.187kg</p>  <p>T=1.1mm</p>	<p>SX-WM7105. 外开扇 perimeter=186.996mm weight=0.343kg</p>  <p>T=1.0mm</p>
<p>SX-WM7106. 方管 perimeter=405.200mm weight=1.521kg</p>  <p>T=1.4mm</p>	<p>SX-WM7107. 百叶 perimeter=197.010mm weight=0.291kg</p>  <p>T=1.0mm</p>	<p>SX-WM7108. 边框 perimeter=213.801mm weight=0.264kg</p>  <p>T=0.9mm</p>	<p>SX-WM7109. 边框 perimeter=130.459mm weight=0.186kg</p>  <p>T=1.05mm</p>	<p>SX-WM7110. 边框 perimeter=412.376mm weight=0.743kg</p>  <p>T=1.35mm</p>
<p>SX-WM7155. 边框 perimeter=138.079mm weight=0.190kg</p>  <p>T=1.0mm</p>	<p>SX-WM7158. 边框 perimeter=111.405mm weight=0.148kg</p>  <p>T=1.0mm</p>	<p>SX-WM7119. 边框 perimeter=116.787mm weight=0.234kg</p>  <p>T=1.4mm</p>	<p>SX-WM7126. 装饰料 perimeter=204.562mm weight=0.251kg</p>  <p>T=0.95mm</p>	<p>SX-WM7127. 外框 perimeter=154.887mm weight=0.349kg</p>  <p>T=0.94mm</p>
<p>SX-WM7128. 外框 perimeter=217.459mm weight=0.492kg</p>  <p>T=1.0mm</p>	<p>SX-WM7129. 框料 perimeter=187.851mm weight=0.647kg</p>  <p>T=1.15mm</p>	<p>SX-WM7130. 边框 perimeter=465.011mm weight=0.876kg</p>  <p>T=1.35mm</p>	<p>SX-WM7131. 装饰料 perimeter=91.070mm weight=0.107kg</p>  <p>T=0.9mm</p>	<p>SX-WM7132. 装饰料 perimeter=111.337mm weight=0.142kg</p>  <p>T=0.9mm</p>

WMJT-178

Shengxin Catalog for Brazil(24)

<p>SX-WM7134. 中框 perimeter=213.946mm weight=0.561kg</p>  <p>T=1.1mm</p>	<p>SX-WM7135. 管件 perimeter=120.800mm weight=0.429kg</p>  <p>T=1.1mm</p>	<p>SX-WM7136. 边框 perimeter=265.118mm weight=0.538kg</p>  <p>T=1.3mm</p>	<p>SX-WM7137. 边框 perimeter=892.343mm weight=2.595kg</p>  <p>T=2.2mm</p>	<p>SX-WM7138. 边框 perimeter=518.230mm weight=1.173kg</p>  <p>T=1.65mm</p>
<p>SX-WM7139. 装饰料 perimeter=113.351mm weight=0.176kg</p>  <p>T=1.15mm</p>	<p>SX-WM7140. 边框 perimeter=187.073mm weight=0.451kg</p>  <p>T=1.0mm</p>	<p>SX-WM7141. 上下方 perimeter=370.864mm weight=0.870kg</p>  <p>T=1.15mm</p>		
<p>SX-WM7142. 上下方 perimeter=96.114mm weight=0.137kg</p>  <p>T=1.0mm</p>	<p>SX-WM7144. 边框 perimeter=546.455mm weight=1.591kg</p>  <p>T=1.5mm</p>	<p>SX-WM7145. 扶手 perimeter=229.179mm weight=0.345kg</p>  <p>T=1.1mm</p>	<p>SX-WM7146. 边框 perimeter=163.267mm weight=0.252kg</p>  <p>T=1.15mm</p>	<p>SX-WM7148. 边框 perimeter=183.951mm weight=0.252kg</p>  <p>T=1.1mm</p>
<p>SX-WM7149. 外框 perimeter=235.491mm weight=0.492kg</p>  <p>T=1.2mm</p>	<p>SX-WM7150. 外框 perimeter=313.018mm weight=0.978kg</p>  <p>T=1.3mm</p>	<p>SX-WM7151. 外框 perimeter=248.065mm weight=0.759kg</p>  <p>T=1.25mm</p>	<p>SX-WM7152. 管件 perimeter=152.400mm weight=0.455kg</p>  <p>T=1.05mm</p>	<p>SX-WM7153. 管件 perimeter=228.600mm weight=0.853kg</p>  <p>T=1.3mm</p>

WMJT-179

Shengxin Catalog for Brazil(25)